

HPD UNIQUE IDENTIFIER: 26271

CLASSIFICATION: 09 29 00 Gypsum Board

PRODUCT DESCRIPTION: This HPD covers the following CertainTeed 5/8" Type X, 5/8" Sheathing Treated Core Type X, 5/8" Veneer Plaster Base Type X, 5/8" Exterior Soffit Type X, Easi-Lite® Type X, Extreme Abuse and Extreme Impact. Fire resistant gypsum boards designed to meet fire resistance ratings when used in fire resistant tested assemblies.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities, and All Substances Above the Threshold Indicated Are: Characterized, Screened, Identified.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE TYPE X GYPSUM CORE BOARD [CALCIUM SULFATE DIHYDRATE LT-UNK STARCH LT-UNK FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT LT-UNK NAPHTHALENESULFONIC ACID, FORMALDEHYDE POLYMER, CALCIUM SALT LT-P1 SODIUM POLYNAPHTHALENESULFONATE LT-P1 | PBT QUARTZ BM-1 | CAN OXIDIZED CORN STARCH LT-UNK GLUCOSE BM-3] PAPER FACING [CELLULOSE, MICROCRYSTALLINE LT-UNK | RES CELLULOSE PULP NoGS (3-CHLORO-2-HYDROXYPROPYL)TRIMETHYLAMMONIUM CHLORIDE MODIFIED STARCH LT-P1 | MUL]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All materials have been screened through the HPD tool. All residuals and impurities have been considered and noted when applicable.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
No

PREPARER: Self-Prepared
VERIFIER: GreenCircle Certified
VERIFICATION #: 6H3-7145

SCREENING DATE: 2021-10-19
PUBLISHED DATE: 2021-10-19
EXPIRY DATE: 2024-10-19

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpdc-collaborative.org/hpd-2-2-standard

TYPE X GYPSUM CORE BOARD %: 95.0000 - 98.5000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Other: Type X Gypsum Core Board

RESIDUALS AND IMPURITIES NOTES: Naturally occurring impurities and residuals in the gypsum are evaluated through quality checks, data is available at the manufacturing locations.

OTHER MATERIAL NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate raw material suppliers.

CALCIUM SULFATE DIHYDRATE

ID: 10101-41-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-19 9:44:19

%: 95.0000 - 98.5000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Naturally occurring impurities and residuals in the gypsum are evaluated through quality checks, data is available at the manufacturing locations.

The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers. This % range was verified by Green Circle Certified.

STARCH

ID: 9005-25-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-19 9:44:21

%: 0.1000 - 9.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate raw material suppliers. This % range was verified by Green Circle Certified.

FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-19 9:44:22

%: 0.0000 - 0.5000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers. This % range was verified by Green Circle Certified.

NAPHTHALENESULFONIC ACID, FORMALDEHYDE POLYMER, CALCIUM SALT

ID: 37293-74-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-19 9:44:22**

#: **0.0000 - 0.4000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Processing regulator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Due to the potentially hazardous nature of this material, R&D is actively seeking and alternative. The raw material range is based on the content percent from a range of manufacturing locations and board thicknesses. This % range was verified by Green Circle Certified.

SODIUM POLYNAPHTHALENESULFONATE

ID: 9084-06-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-19 9:44:23**

#: **0.0000 - 0.1500** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Processing regulator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans

SUBSTANCE NOTES: Due to the potentially hazardous nature of this material, R&D is actively seeking and alternative. The raw material range is based on the content percent from a range of manufacturing locations and board thicknesses. This % range was verified by Green Circle Certified.

QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-19 9:44:23**

#: **Impurity/Residual** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]

SUBSTANCE NOTES: Quartz is a naturally occurring impurity found within all gypsum rock. The levels are monitored by the product sites and are well below the 1000 ppm threshold but in the spirit of transparency and full disclosure we note this impurity in our HPD. This % range was verified by Green Circle Certified.

OXIDIZED CORN STARCH

ID: 65996-62-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-19 9:44:23**

%: **0.0000 - 0.5000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers. This % range was verified by Green Circle Certified.

GLUCOSE

ID: 50-99-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-19 9:44:24**

%: **0.0000 - 0.6000** GS: **BM-3** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers. This % range was verified by Green Circle Certified.

PAPER FACING

%: **2.5000 - 5.7500**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Paper or Cardboard

RESIDUALS AND IMPURITIES NOTES: Naturally occurring impurities and residuals in the paper are considered and evaluated through QA checks.

OTHER MATERIAL NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate raw material suppliers.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-19 9:44:20**%: **85.0000 - 92.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagens (Rs) - sensitizer-induced

SUBSTANCE NOTES: The information on the paper facing is derived from the manufacturer and the range of raw materials they have provided. Two substances are listed on this HPD for the cellulose content in the paper facing. These two substances are effectively interchangeable, but are different enough that the supplier identifies them with different CASRNs, leading to the large %weight range in these ingredients. This explanation is provided with the large range in accordance with the HPD Open Standard instructions. The % range has been verified by Green Circle Certified.

CELLULOSE PULP

ID: 65996-61-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-19 9:44:20**%: **30.0000 - 93.0000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The information on the paper facing is derived from the manufacturer and the range of raw materials they have provided. Two substances are listed on this HPD for the cellulose content in the paper facing. These two substances are effectively interchangeable, but are different enough that the supplier identifies them with different CASRNs, leading to the large %weight range in these ingredients. This explanation is provided with the large range in accordance with the HPD Open Standard instructions. The % range has been verified by Green Circle Certified.

**(3-CHLORO-2-HYDROXYPROPYL)TRIMETHYLAMMONIUM CHLORIDE
MODIFIED STARCH**

ID: 56780-58-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-19 9:44:21**%: **0.1000 - 1.5000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: The information on the paper facing is derived from the manufacturer and the range of raw materials they have provided. This % range was verified by Green Circle Certified.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings

CERTIFYING PARTY: Third Party	ISSUE DATE: 2009-03-11	EXPIRY DATE: 2022-03-11	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All Type X - Certificate # 24756-420			
CERTIFICATE URL: https://www.certainteed.com/resources/Type%20X_GREENGUARD%20Gold%20Certification%2024756-420.pdf			
CERTIFICATION AND COMPLIANCE NOTES: UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings Please refer to https://www.certainteed.com/drywall/sustainability for the most accurate certifications as they are renewed annually.			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

These fire resistant drywall products provide fire-resistive performance when used in specific fire-rated assemblies.

All CertainTeed Gypsum wallboard products should be handled and installed per the requirements of the manufacturers SDS. This HPD fails Option 2 under LEED prescreen as the reporting limit of the sourced material disclosure from the raw material supplier SDS is limited to 1000 ppm threshold. For complete Safety and EHS information on any and all CertainTeed Gypsum Products please see <https://www.certainteed.com/drywall/>. Additional Transparency documentation can be found at <https://saintgobain.ecomedes.com/>

MANUFACTURER INFORMATION

MANUFACTURER: Saint Gobain
ADDRESS: 20 Moores Road
 Malvern PA 19355, USA
WEBSITE: <https://www.certainteed.com/drywall/>

CONTACT NAME: Mitchell Schittler
TITLE: Gypsum Technical Marketing Manager
PHONE: 610-893-6000
EMAIL: Mitchell.L.Schittler@saint-gobain.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.