

WALL ANGLE PRODUCTS


Wall Angle & Terminus Trim

Create a smooth transition from ceiling to walls with wall angle products. Choose standard wall angles for popular interior designs or incorporate shadow moldings along perimeters for a reveal-edge look.


7/8" WALL ANGLE



9/16" WALL ANGLE




2" WALL ANGLE




FEATURES AND BENEFITS

- Variety of wall angle products lends design and installation flexibility
- Standard wall angles to complement popular interior designs
- Shadow moldings produce a reveal-edge look at perimeter installations
- Aluminum wall molding available for high-moisture applications
- High recycled content
- Seismic-compliant options
- WA14-14SAL available in Standard White only. Additional color options are offered through our Post-Paint process.
- Available in Standard White and Black. Additional color options are offered through our Post-Paint process. See the Visual Options - Suspension Systems page for color option details.

WALL ANGLE



SHADOW MOLDING



LEED® v4		
RECYCLED CONTENT		
WALL ANGLE		
PRE: 9-19%	POST: 44-69%	TOTAL: 53-88%
SHADOW MOLDING		
PRE: 9-19%	POST: 44-69%	TOTAL: 53-88%
<input checked="" type="checkbox"/>	MR: PBT Source Reduction (Healthcare)	
<input type="checkbox"/>	MR: Material Ingredients (HPDs)	
<input checked="" type="checkbox"/>	MR: Sourcing Raw Materials	
<input type="checkbox"/>	MR: Environmental Product Declarations (EPDs)	
<input checked="" type="checkbox"/>	MR: Construction and Demolition Waste Management Planning	

LEED® is a registered trademark of the U.S. Green Building Council.

WALL ANGLE PRODUCTS

Wall Angle & Terminus Trim

TRADITIONAL WALL ANGLE STANDARD	Dimensions in. (mm)	Thickness in. (mm)	Pieces/carton	Ft./carton	Recycled Content PRE*	Recycled Content POST*	Recycled Content TOTAL*
WALL ANGLE							
WA14-9	144 x 7/8 x 9/16 (3660 x 22 x 15)	0.018 (0.46)	40	480	19%	69%	88%
WA14-14	144 x 7/8 x 7/8 (3660 x 22 x 22)	0.018 (0.46)	40	480	19%	69%	88%
WA14-14-10	120 x 7/8 x 7/8 (3050 x 22 x 22)	0.018 (0.46)	40	400	19%	69%	88%
WA32-15	120 x 15/16 x 2 (3050 x 24 x 50)	0.018 (0.46)	20	200	19%	69%	88%
WA32-15-12	144 x 15/16 x 2 (3660 x 24 x 50)	0.018 (0.46)	20	240	19%	69%	88%
WA32-32	120 x 2 x 2 (3050 x 50 x 50)	0.018 (0.46)	20	200	19%	69%	88%
WA32-32-12	144 x 2 x 2 (3660 x 50 x 50)	0.018 (0.46)	20	240	19%	69%	88%
SPECIALTY WALL ANGLE ALUMINUM CAPPED							
WALL ANGLE							
WA14-14SAL	144 x 7/8 x 7/8 (3660 x 22 x 22)	0.02 (0.51)	40	480	9%	44%	53%
CLEANROOM WALL ANGLE							
WALL ANGLE							
CRWA14-14	144 x 7/8 x 7/8 (3660 x 22 x 22)	0.02 (0.51)	40	480	19%	69%	88%
SHADOW MOLDING							
WALL ANGLE							
SM1000	120 x 15/16 x 3/8 x 3/8 x 9/16 (3050 x 24 x 10 x 10 x 15)	0.020 (0.51)	40	400	19%	69%	88%
SM1020 [†]	120 x 3/4 x 3/8 x 3/8 x 3/4 (3050 x 19 x 10 x 10 x 19)	0.018 (0.46)	40	400	19%	69%	88%
SM1030	120 x 15/16 x 1/2 x 1/4 x 9/16 (3050 x 24 x 13 x 6 x 15)	0.019 (0.48)	40	400	9%	44%	53%
SM1040	120 x 15/16 x 1/4 x 1/4 x 15/16 (3050 x 24 x 6 x 6 x 24)	0.019 (0.48)	40	400	9%	44%	53%
SM1050	120 x 15/16 x 3/8 x 3/8 x 15/16 (3050 x 24 x 10 x 10 x 24)	0.019 (0.48)	40	400	9%	44%	53%
SM1060	120 x 15/16 x 1/4 x 1/4 x 9/16 (3050 x 24 x 6 x 6 x 15)	0.019 (0.48)	40	400	9%	44%	53%

*Maximum recycled content percentage. Recycled content varies by manufacturing location.

[†] SM1020 is not hemmed along side A.

All products except WA14-14SAL are also available in black by ordering by item number followed by color code. Example: WA14-14 BLK.

PHYSICAL DATA

MATERIAL

Profile dependent

PROFILE HEIGHT

Profile dependent

WARRANTY

10-year Limited Suspension Systems warranty increases to 15 years when installed with CertainTeed ceiling panels. Full warranty information can be found at certainteed.com/ceilings.



CertainTeed

CEILINGS • DECKING • FENCE • GYPSUM • INSULATION • RAILING • ROOFING • SIDING • TRIM


20 Moores Road Malvern, PA 19355 Professional: 800-233-8990 Consumer: 800-782-8777 certainteed.com

VISUAL OPTIONS - SUSPENSION SYSTEMS


ACOUSTICAL AND DRYWALL SUSPENSION SYSTEMS AND TERMINUS TRIM

Our newly expanded post-paint process allows for any CertainTeed Suspension System product to be painted in a variety of new colors, matching all CertainTeed colors along with any Sherwin-Williams® colors requested by the customer. We can also match any color if a color sample is provided.


CertainTeed Standard



Ecophon®



Techstyle Color




Techstyle Wood



Techstyle Felt

Metal Ceilings



For Special color options, contact your local sales representative.

The colors shown have been reproduced with all the fidelity possible with commercial printing processes. Also, a specific color may appear different on one class of product than another.


When placing an order for either Standard or Special colors, please use the following naming process preceding each catalog code:

- Standard face paint: ST + 3-letter color code
- Standard 360 paint: 3T + 3-letter color code
- Special face page: SP + 3-letter color code
- Special 360 paint: 3P + 3-letter color code

Example:

EZCS4-12-12 ST WEC

Example: EZCS4-12-12 ST WEC



CertainTeed

CEILINGS • DECKING • FENCE • GYPSUM • INSULATION • RAILING • ROOFING • SIDING • TRIM
 20 Moores Road Malvern, PA 19355 Professional: 800-233-8990 Consumer: 800-782-8777 certainteed.com